



Mobil 1™ and Mobil Super™

Specifications

Mobil™

The information contained herein is correct on the date of edition and is subject to change without notice.
Mobil 1™ and Mobil Super™ are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners.
© 2024 Exxon Mobil Corporation

Mobil 1™ & Mobil Super™ brand offer



Functional Attribute: PERFORMANCE

Maximizing what your machine is capable of
We ensure the ultimate performance for your vehicle in every driving condition.

Emotional Attribute: EXHILARATED

The joy of the open road
We are for the thrill seekers who crave the best performance. Those excited by being on the road. Fulfilling their passions and potential with the best from Mobil 1.

Mobil 1 – A passion for the best!

Mobil 1 stands for expertise, innovation, and a passion for performance

Mobil's leading brand for engine oils

Targets flagship market

Delivers performance



Functional Attribute: EFFECTIVENESS

Proven protection for everyday mobility needs
We support you at every point in your journey by providing the protection and reliability you need to feel confident, always.

Emotional Attribute: CARED FOR

Knowing you are in good hands
We care about you and your family's mobility. We care about you as drivers, passengers and mechanics. We care about your vehicles. That is why we believe that your journey should be an easy, safe and worry-free experience.

Mobil Super – Protects what you love, always!

Mobil Super is a brand that protects what you love, your engine, your car, as well as your loved ones sitting inside the vehicle




Mobil's premium brand for engine oils

Targets heart of the market

Delivers effectiveness / protection

Mobil 1™ brand offer

3 series to match the needs of the European carpark

	Description	Features	Applications / Specifications
	Mobil 1 FS Full SAPS oils for severe duty gasoline & diesel cars (w/o particle filters)	Provides improved protection under extended oil drain intervals / variable fuel quality (e.g. de-regulated markets with high S content in fuel).	Covers a wide breadth of European OEM approvals and industry performance specifications (ACEA A/B, API).
	Mobil 1 ESP Mid SAPS oils for newer gasoline & diesel cars (EURO 6 models with ATS)	Ensures compatibility with emission systems, incl. particle filters, while providing highest level of engine protection and performance (e.g. cleanliness, wear, fuel economy...).	Meets the latest European OEM performance requirements and industry specifications (ACEA C) for modern cars with low emissions and fuel economy credentials.
	Mobil 1 (GF-6) Engine oils for modern American and Asian gasoline powered cars (ATS compatible)	Specifically designed to address challenges with modern downsized gasoline engines. Provides protection against LSPI and compatibility with ATS catalysis.	Addresses the specific needs of US and Asian car manufacturers for low emission & fuel efficient cars. Meets the latest US OEM approvals and highest API / ILSAC ind. performance specifications (SP, GF-6A). Also meets Mid SAPS ACEA C requirements.

Notes: FS: Full SAPS SAPS: Suptated Ash, Phosphorus, Sulfur ESP: Exhaust System Protection ATS: exhaust gas After-Treatment System OEM: Original Equipment manufacturer w/o: without



Mobil 1 FS

Mobil 1 ESP

Mobil 1 (GF)



	Mobil 1™ FS 0W-40	Mobil 1™ FS 5W-40	Mobil 1™ FS x2 5W-50	Mobil 1™ 10W-60	Mobil 1™ ESP x2 0W-20	Mobil 1™ ESP LV 0W-30	Mobil 1™ ESP 0W-30	Mobil 1™ ESP 5W-30	Mobil 1™ ESP Formula P 5W-30	Mobil 1™ ESP x4 0W-40	Mobil 1™ C40 GT 0W-40	Mobil 1™ 0W-20	Mobil 1™ x1 5W-30
ACEA Nissan, Kia, ...	A3/B4 (2)	A3/B4 (2)	A3/B4 (2)	A3/B4 (2)	C5 (2), C6 (2)	C2 (2) A5/B5 (2)	C3 (2), C2 (3)	C3 (2), C2 (3)	C3 (2), C2 (3)	C3 (2)		C5 (2)	C2 (2) A5/B5 (2)
API, ILSAC Toyota, Suzuki, ...	SP(2), SN Plus SN (2), SM (2), CF (3)	SP(2), SN Plus SN (2), SM (2), CF (3)	SP(2), SN Plus SN (2), SM (2), CF (3)	SN (2), SM (2) CF (3)	SP (4), SN Plus (4) SN (4), SL (2)	SN (4), SL (2)	SP (4), SN Plus (4), SN (4), SL (2)	SP (2), SN Plus (2) SN (2)	SN (2), SM (2) CF (3)	SP (2), SN (2) CF (3)		SP Res.Cons. (2) SP(2), SN Plus (2) GF-6A (2)	SP Res.Cons., SP, SN Plus Res.Cons. (2) GF-6A (2)
Renault, Dacia		RN 0700/0710 (1)											
Stellantis Peugeot, Citroën, Opel, Fiat, Vauxh., Chrysl., Jeep, Lancia	Fiat 9.55535-M2 (2)	Fiat 9.55535-M2 (2)						OV 040 154 - G30 (1) OV 040 154 - D30 (1) Fiat 9.55535-S3 (3)	FPW9.55535/03 (1) PSA B71 2290 (1) PSA B71 2297 (1)	Fiat 9.55535-S2 (2)		Fiat 9,55535-CR1(3) Chrysler MS-6395 (3)	Fiat 9,55535-CR1 (3) Chrysler MS-13340 (2) Chrysler MS-6395 (2)
Volkswagen Group VW, Audi, SEAT, Škoda, Bentley, Bugatti, Lamborghini.	502 00 (1) 505 00 (1) 503 01 (3)	502 00 (1) 505 00 (1)		501 01 (1) 505 00 (1)	508 00 (1) 509 00 (1)		504 00 (1) 507 00 (1)	504 00(1) 507 00(1)		511 00 (1)			VWc 53034 (2)
Ford	WSS-M2C937-A (2)					WSS-M2C920-A (3)						WSS-M2C947-A(3) WSS-M2C947-B1(3) WSS-M2C962-A1 (2)	WSS-M2C929-A (3) WSS-M2C946-A/B1 (3) WSS-M2C961-A1 (2)
GM Chevrolet, Cadillac, Buick..					dexosD™ (1)					dexos2™ (1)		dexos1™ Gen 3 (1) 6094M (3)	dexos1™ Gen 3 (1) 4718M (3), 6094M (3)
BMW Group BMW, Rolls Royce, Mini	Longlife-01 (1)	Longlife-01 (1)				Longlife-12FE (1)		Longlife-04 (1)					
Mercedes-Benz MB, Smart	229.3 (1) 229.5 (1)	229.3 (1) 229.5 (1)	229.3 (1)	229.1 (3)	229.71 (1)	229.61 (1)	229.31 (1) 229.51 (1), 229.52 (1)	229.31 (1) 229.51 (1), 229.52 (1)	229.31 (1) 229.51 (1) 229.52 (1)	229.51 (1) 229.52 (1)			
Porsche	A40 (1)	A40 (1)	A40 (1)		C20 (1)		C30 (1)	C30 (1)		C40 (1), A40 (1)	C40 GT (1)		
Volvo, Nissan, Honda/Acura	Nissan Genuine Performance (1)					VCC 95200377 (1)							Honda HTO-06 (1) Nissan Service Fill

SAPS: Sulfated Ash-Phosphorus-Sulfur; FS: Full (conventional) SAPS; ESP: Exhaust System Protection (mid SAPS) : also recommended for Hybrids
 (1) Builder approvals (2) Meets or exceeds the requirements (3) Recommended for the following applications (4) Meets the engine test requirements

The information contained herein applies to the products made on the date of edition and is subject to change without notice. All products may not be available locally. For up-to-date information, contact your local ExxonMobil representative/ THD or refer to online PDS. Mobil 1™ and Mobil Super™ are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners. © 2024 Exxon Mobil Corporation

Mobil Super™ premium engine oils

Mid SAPS Formula



Mobil Super™	Mobil Super 3000 Formula F 5W-20	Mobil Super 3000 Formula F 0W-30	Mobil Super 3000 Formula 5W-30	Mobil Super 3000 Formula OV 0W-20	Mobil Super 3000 Formula P 0W-20	Mobil Super 3000 Formula P 0W-30	Mobil Super 3000 Formula P 5W-30	Mobil Super 3000 Formula RN 0W-20	Mobil Super 3000 Formula R 5W-30	Mobil Super 3000 Formula RN 5W-30	Mobil Super 3000 Formula VC 0W-20	Mobil Super 3000 Formula V 0W-20	Mobil Super 3000 Formula V 0W-30	Mobil Super 3000 Formula V 5W-30	Mobil Super 3000 XE 5W-30	Mobil Super 3000 XE1 5W-30	Mobil Super 3000 XE1 5W-40	
ACEA Nissan, Kia, ...	C5 (2)	C2 (2) A5/B5 (2)	C1 (2)	C5 (2) C6 (2)	C5 (2)	C2 (2)	C2 (2)	C5 (2)	C4 (2)	C3 (2)	C5 (2)	C5 (2)	C3 (2)	C3 (2)	C3 (2)	C3 (2)	C3 (2)	
API Toyota, Suzuki, ...	SN (2), SM (2)			SP (2), SN Plus (2) SN (2), SM (2)				SN (2)			SP (2)	SN Plus (2), SN (2), SM (2)		SN (2), SM (2)	SN (2), SM (2) CF (3)	SN Plus (2), SN (2), SM (2)	SN (2), SM (2) CF (3)	
Renault, Dacia								RN17 FE (1)	RN0720 (1)	RN17 (1)								
Stellantis Peugeot, Citroën, Opel, Vauxhall, Fiat, Lancia, Chrysler, Jeep				0V 040 1547 – A20 (1)	B71 2010 (1) Fiat 9.55535- DM1 (2)	B71 2312 (1) B71 2302 (1) Fiat 9.55535- GS1 (2)	B71 2290 (1) Fiat 9.55535- S1 (2)		Fiat 9.55535- S4 (3)								LL-A-025 (3), LL-B-025 (3)	Fiat 9.55535- S2 (2)
Volkswagen VW, Audi, SEAT...		VWc 53035(2)										508 00 (1) 509 00 (1)	504 00 (1) 507 00 (1)	504 00 (1) 507 00 (1)	505 00 (1) 505 01 (1)		505 00 (1) 505 01 (1)	
Ford (WSS-...)	M2C948-B (2)	M2C950-A (2)	M2C934-B (2)	M2C952-A (2)												M2C917-A (3)		
GM Chev., Cadil.				dexosD™ (1)												dexos2™ (1)	dexos2™ (1)	
BMW																	Longlife-04 (1) Longlife-01 (3)	Longlife-04 (1) Longlife-01 (3)
Mercedes-Benz Smart				229.71 (1)					226.51 (1)	226.52 (1)						229.31 (1) 229.51 (1)	229.31 (1) 229.51 (1) 229.52 (1)	229.31 (1) 229.51 (1) 229.52 (1)
Porsche												C20 (1)	C30 (1)	C30 (1)				A40 (1)
Jaguar Land Rover		STJLR. 03.5007 (1)	STJLR. 03.5005 (1)	STJLR. 03.5006 (1)														
Volvo											RBSO-2AE (1)							

SAPS: Sulfated Ash-Phosphorus-Sulfur; 1) Builder approvals 2) Meets or exceeds the requirements 3) Recommended for the following applications 4) Meets the engine test requirements
 The information contained herein is subject to change without notice. All products may not be available locally. For up-to-date information, contact your local ExxonMobil representative/ THD or refer to online PDS.
 Mobil 1™ and Mobil Super™ are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners. © 2024 Exxon Mobil Corporation

Mobil Super™ premium engine oils

Conventional SAPS Formula

GF-6 Formula

	 <p>Mobil Super 3000 Formula VC 0W-30</p>	 <p>Mobil Super 3000 x1 Formula FE 5W-30</p>	 <p>Mobil Super 3000 Formula M 5W-30</p>	 <p>Mobil Super 2000 x1 5W-30</p>	 <p>Mobil Super 3000 x1 5W-40</p>	 <p>Mobil Super 2000 Formula P 10W-40</p>	 <p>Mobil Super 2000 x1 10W-40</p>	 <p>Mobil Super 1000 x1 15W-40</p>	 <p>Mobil Super 3000 0W-16</p>	 <p>Mobil Super 3000 0W-20</p>	 <p>Mobil Super 3000 Formula D1 5W-30</p>
ACEA Nissan, Kia, ...	A5/B5 (2) A7/B7 (2)	A5/B5 (2)	A3/B4 (2)	A3/B4 (2)	A3/B4 (2)	A3/B4 (2)	A3/B3 (3)	A3/B3 (3)			
API, ILSAC Toyota, Suzuki, ...	SP, SN Plus, SN (2) SL (2)	SP, SN Plus, SN (4) SL (2) CF (3)	SL (2), SJ (2) CF (3)	SN, SM (2) CF (3)	SN Plus (2), SN (2) CF (3)	SN Plus (2), SN (2) CF (3)	SN Plus (2), SN (2) CF (3)	SN Plus (2), SN (2) CF (3)	SP Res. Con. (2) SP (2), SN Plus (2) GF-6B (2)	SP Res. Cons. (2) SP (2), SN Plus (2) GF-6A (3)	SP Res. Cons. (2), SP (2) SN Plus Res. Con. (2) GF-6A (2)
Renault, Dacia				RN 0710 (1) RN 0700 (1)							
Stellantis Peugeot, Citroën, Opel, Fiat, Lancia, Vauxhall, Chrysler, Alfa Romeo				B71 2296 (1) Fiat 9.55535-M2 (2)	B71 2300 (1)						MS-6395 (2) Fiat 9.55535-CR1 (2)
Volkswagen group VW, Audi, SEAT, Škoda...		VWc 53036 (2)		502 00 (1) 505 00 (1)	502 00 (1) 505 00 (1)	501 01 (1) 505 00 (1)	501 01 (1) 505 00 (1)	501 01 (1) 505 00 (1)			VWc 53034 (2)
Ford (WSS-...)		M2C913-D (2)								M2C947-A (2) M2C947-B1 (2) M2C962-A1 (2)	M2C929-A (3) M2C946-A/B1 (2) M2C961-A1 (2)
GM Chevrolet, Cadillac ...				LL-B-025 (3)							dexos1™ Gen 3 (1) 6094M (3)
Mercedes-Benz			229.3 (1) 229.5 (1)	229.1 (3)	229.3 (1)	229.1 (3)	229.1 (3)	229.1 (3)			
Porsche				A40 (1)							
Jaguar - Land Rover		STJLR.03.5003 (1)									
Volvo	VCC 95200377 (1)										

SAPS: Sulfated Ash-Phosphorus-Sulfur; 1) Builder approvals 2) Meets or exceeds the requirements 3) Recommended for the following applications 4) Meets the engine test requirements
 The information contained herein is subject to change without notice. All products may not be available locally. For up-to-date information, contact your local ExxonMobil representative/ THD or refer to online PDS.
 Mobil 1™ and Mobil Super™ are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners.



also recommended for Hybrids

© 2024 Exxon Mobil Corporation

Mobil 1™

Mobil Super™